EXAMINER'S AMENDMENT

Page 2

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ellen Winner on 2/19/10. An initial telephonic interview was conducted with Ellen Winner on 2/2/09 (see attached interview summary) in which possible examiners amendments were discussed. At that time Ellen Winner stated that she would check with the applicant. On 2/19/10 applicants representative verified that the proposed amendments were acceptable.

The application has been amended as follows:

Claims 3-4 have been cancelled.

Claim 1,2,5,6,7,8 have been amended as follows:

1. A method for inducing melanogenesis in a human subject having a melanocortin 1 receptor[[s]] (MC1R) variant allele associated with loss of or diminished receptor function, which comprises the steps of:

i) identifying the MC1R variant using primer sequences selected from 5'-tggacaggactatggctgtg-3' (MC1R-1F - SEQ ID NO:1), 5'-tettcagcacgctettcat-3' (MC1R-1R - SEQ ID NO:2), 5'-

Application/Control Number: 10/595,971

Art Unit: 1654

cttctacgcactgcgctacc-3' (MC1R-2F - SEQ ID NO: 3) and 5'-gctttaagtgtgctgggcag-3' (MC1R-2R - SEQ ID NO: 4), and

Page 3

ii) administering to said subject an amount of [Nle⁴, DPhe⁷]-α-melanocyte stimulating hormone ([Nle⁴, DPhe⁷]-α-MSH) effective to induce melanogenesis by the melanocytes in the skin or other epidermal tissue of the subject. wherein the MC1R variant is identified using primer sequences selected from 5'-tggacaggactatggctgtg-3'

(MC1R-1F- SEQ ID NO:1), 5'-tetteageaegetetteat-3' (MC1R-1R- SEQ ID NO:2), 5'-ettetaegeaetgegetaee-3' (MC1R-2F - SEQ ID NO: 3) and 5'-getttaagtgtgetgggeag-3' (MCIR-2R-SEQ ID NO: 4).

- 2. The method of claim 1, wherein an admixture of said [Nle⁴, DPhe⁷]- α -MSH analogue with a further α -MSH analogue is administered in an amount effective to induce said melanogenesis, wherein said further α -MSH analogue is selected from:
- (a) compounds of the formula:

Ac-Ser-Tyr-Ser-M-Gln-His-D-Phe-Arg-Trp-Gly-Lys-Pro-Val-NH₂ wherein M is Met, Nle or Lys; and

(b) compounds of the formula:

 R_1 -W-X-Y-Z- R_2

wherein

R₁ is Ac-Gly-, Ac-Met-Glu, Ac-Nle-Glu-, or Ac-Tyr-Glu-;

W is -His- or -D-His-;

X is -Phe-, -D-Phe-, -Tyr-, -D-Tyr-, or -(pNO₂)D-Phe⁷-;

Art Unit: 1654

Y is -Arg- or -D-Arg-;

Z is -Trp- or-D-Trp-; and

R₂ is -NH₂; -Gly-NH₂; or -Gly-Lys-NH₂.

5. The method of claim 1, wherein an admixture of said [Nle⁴, DPhe⁷]- α -MSH with a further α -MSH analogue is administered in an amount effective to induce said melanogenesis, wherein the further α -MSH analogue is selected from the group consisting of:

Ac-Ser-Tyr-Ser-Nle-Glu-His-D-Phe-Arg-Trp-Lys-Gly-Pro-Val-NH₂,

Ac-Ser-Tyr-Ser-Nle-Asp-His-D-Phe-Arg-Trp-Lys-Gly-Pro-Val-NH₂,

Ac-Nle-Glu-His-D-Phe-Arg-Trp-Lys-Gly-Pro-Val-NH₂,

Ac-Nle-Asp-His- D-Phe-Arg-Trp-Lys-Gly-Pro-Val-NH₂,

Ac-Nle-Asp-His-D-Phe-Arg-Trp-Gly-NH₂,

Ac-Nle-Glu-His-D-Phe-Arg-Trp-Lys-NH₂,

Ac-Nle-Asp-His-D-Phe-Arg-Trp-Lys-NH₂,

Ac-Nle-Glu-His-D-Phe-Arg-Trp-Orn-NH₂,

Ac-Nle-Asp-His-D-Phe-Arg-Trp-Orn-NH₂,

Ac-Nle-Glu-His-D-Phe-Arg-Trp-Dab-NH₂,

Ac-Nle-Asp-His-D-Phe-Arg-Trp-Dab-NH₂,

Ac-Nle-Glu-His-D-Phe-Arg-Trp-Dpr-NH₂,

Ac-Nle-Glu-His-Phe-Arg-Trp-Lys-NH₂ (SEQ ID NO:5), and

Ac-Nle-Asp-His-Phe-Arg-Trp-Lys-NH₂ (SEQ ID NO:6).

Art Unit: 1654

6. The method of claim 1, wherein an admixture of said [Nle⁴, DPhe²]- α -MSH with a further α -MSH analogue is administered in an amount effective to induce said melanogenesis wherein the further α -MSH analogue is selected from the group consisting of:

Application/Control Number: 10/595,971

Art Unit: 1654



Application/Control Number: 10/595,971

Page 7

Art Unit: 1654

[D-Phe⁷]-a-MSH,

7. The method of claim 1, wherein an admixture of said [Nle⁴, DPhe⁷]- α -MSH with a further α -MSH analogue is administered in an amount effective to induce said melanogenesis wherein the further α -MSH analogue is:

```
[Nle4, D-Phe7]-a-MSH,
  ID-Ser<sup>1</sup>, D-Phe<sup>7</sup>1-a-MSH.
  ID-Tyr2, D-Phe7I-a-MSH.
  ID-Ser2, D-Phe21-a-MSH.
  [D-Met<sup>4</sup>, D-Phe<sup>7</sup>]-a-MSH,
  (D-Glu<sup>5</sup>, D-Phe<sup>7</sup>1-a-MSH,
(D-His<sup>8</sup>, D-Phe<sup>7</sup>)-a-MSH.
ID-Phe<sup>7</sup>, D-Arg<sup>8</sup>J-α-MSH,
ID-Phe<sup>7</sup>, D-Tro<sup>9</sup>I-a-MSH,
ID-Phe7. D-Lys11-a-MSH.
(D-Phe<sup>7</sup>, D-Pro<sup>12</sup>)-a-MSH.
ID-Phe7, D-Val131-q-MSH.
(D-Ser1, Nie4, D-Phe7)-a-MSH,
(D-Tyr<sup>2</sup>, Nie<sup>4</sup>, D-Phe<sup>7</sup>)-a-MSH,
ID-Ser3, Nie4, D-Phe71-a-MSH.
[Nie4, D-Glu5, D-Phe7]-a-MSH,
INie<sup>4</sup>, D-His<sup>8</sup>, D-Phe<sup>7</sup>I-a-MSH,
[Nie<sup>4</sup>, D-Phe<sup>7</sup>, D-Arg<sup>8</sup>]-a-MSH,
INie4, D-Phe7, D-Trp91-a-MSH.
[Nle^4, D-Phe^7, D-Lvs^{11}] - \alpha-MSH.
```

Art Unit: 1654

Art Unit: 1654

```
ICvs4, Cvs101-a-MSH4.43
[Nie<sup>4</sup>, D-Phe<sup>7</sup>]-a-MSH<sub>4-10</sub>,
[Nie<sup>4</sup>, D-Phe<sup>7</sup>]-a-MSH<sub>4-11</sub>,
ID-Phe<sup>7</sup>l-a-MSH<sub>5.11</sub>
INIe4. D-Tvr71-a-MSHann.
I(pNO<sub>2</sub>)D-Phe<sup>7</sup>I-a-MSH<sub>4-11</sub>.
ITvr<sup>4</sup>, D-Phe<sup>7</sup>1-α-MSH<sub>4,10</sub>,
[Tyr4, D-Phe7]-a-MSH4-11.
[Nie4]-a-MSH<sub>4-11</sub>,
[Nie4, (pNO2)D-Phe7]-a-MSH4.11.
(Nie<sup>4</sup>, D-His<sup>6</sup>I-a-MSH<sub>4-11</sub>,
INie<sup>4</sup>, D-His<sup>6</sup>, D-Phe<sup>7</sup>l-q-MSH<sub>4.51</sub>,
INie<sup>4</sup>, D-Arg<sup>6</sup>i-g-MSH<sub>4-11</sub>,
INie<sup>4</sup>, D-Trp<sup>6</sup>1-a-MSH<sub>4-11</sub>,
[Nie4, D-Phe7, D-Trp8]-a-MSH4.11.
INie<sup>4</sup>, D-Phe<sup>7</sup>i-a-MSH<sub>4-8</sub>, or
INie<sup>4</sup>, D-Phe<sup>7</sup>, D-Tro<sup>9</sup>l-a-MSH<sub>4.6</sub>,
```

8. The method of claim 1, wherein an admixture of said [Nle⁴, DPhe⁷]- α -MSH with a further α -MSH analogue is administered in an amount effective to induce said melanogenesis wherein the further α -MSH analogue is:

```
[Nie<sup>4</sup>, D-Phe<sup>7</sup>]-a-MSH<sub>4-10</sub>,
[Nie<sup>4</sup>, D-Phe<sup>7</sup>]-a-MSH<sub>4-11</sub>,
[Nie<sup>4</sup>, D-Phe<sup>7</sup>], D-Trp<sup>9</sup>]-a-MSH<sub>4-11</sub>, or
[Nie<sup>4</sup>, D-Phe<sup>7</sup>]-a-MSH<sub>4-9</sub>.
```

Art Unit: 1654

As such, claims 1-2,5-8,12-14 (renumbered as claims 1-9 in the order presented) are allowable.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to RONALD T. NIEBAUER whose telephone number is (571)270-3059. The examiner can normally be reached on Monday-Thursday, 7:30am-5:00pm, alt. Friday, EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cecilia Tsang can be reached on 571-272-0562. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Anish Gupta/

Art Unit: 1654

Primary Examiner, Art Unit 1654

/Ronald T Niebauer/ Examiner, Art Unit 1654